

# Thomson PURE-PAC II



FDA compliant expanded PTFE compression packing ideal for colour sensitive applications. Full chemical range 0–14 pH.

## FEATURES / BENEFITS

- Chemically inert (with a few exceptions over the entire 0–14 pH range).
- White, non-staining - for color-sensitive applications. Thermally conductive - hybrid ePTFE yarn reduces shaft/sleeve wear: low coefficient of friction.
- FDA Compliant.
- High strength - extends service life.
- Resistant to aging and glazing.
- Excellent volume retention.

## TYPICAL APPLICATIONS

- Pulp and Paper.
- Food and Beverage.
- Pharmaceutical.
- Color-sensitive applications.
- Rotating equipment (mixers/agitators), centrifugal pumps, blenders, reactors, and valves.
- Slurries, powders, mild to medium abrasives.
- Aggressive Chemical service.

## SPECIFICATIONS

### Construction:

Expanded PTFE with proprietary FDA-compliant additives. Square interbraid.

### Max Speed:

To 2350 fpm (12 m/s)

### Temperatures:

Min: -170°F (-112°C)

Max: 550°F (287°C)

### Max Pressure:

300 psi (20 bar)

### pH range:

0–14

## ORDERING INFORMATION - PURE-PAC II

Specify Thomson style, size and quantity (lbs) required.

Size	1/8"	3/16"	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
Approx. (ft/lb)	72	31.5	19.4	12.5	9	5.1	3.3	2.3	1.7	1.2

Also available in metric sizes, die formed pre-packaged sets, and specialty cut lengths.  
Contact A.R. Thomson Group for any special requirements.

## SHAFT SPEED CONVERSION CALCULATIONS

Feet per minute (fpm)	Meter per second (m/s)
Shaft / sleeve diameter (in) x RPM x 0.262 = fpm	Shaft / sleeve diameter (in) x RPM x 0.0013299 = m/s
Shaft / sleeve diameter (mm) x RPM x 0.0103 = fpm	Shaft / sleeve diameter (mm) x RPM x 0.0000524 = m/s

## AUTHORIZED DISTRIBUTOR



Limitation of liability: actual performance may vary and is determined by factors unique to a given application. It is recommended that care be taken in the selection and application of materials for hazardous services and controlled testing be undertaken to determine suitability for a specific application. A.R. Thomson Group does not make or imply any warranty of suitability for a particular purpose and is not liable for any damages arising from the use of the information in this sheet.

 **A.R. THOMSON GROUP INC.**

Locations across Canada to serve you. For your nearest branch, please visit: [www.arthomson.com](http://www.arthomson.com)

Copyright © A.R. Thomson Group - All rights reserved.

[arthomson.com](http://arthomson.com)