




ABSP™ Adaptor Plate



- ADAPTOR KITS DESIGNED TO SUIT ABSP™ SCAN PUMP
- TO CONVERT PUMPS TO ACCEPT AESSEAL® CARTRIDGE SEAL RANGE
- DESIGNED WITH INTEGRAL VORTEX BREAKERS FOR OPTIMAL SEAL ENVIRONMENT
- REMOVES NEED FOR SPECIAL SEALS

ABSP™ Adaptor Plate - technical information

Designs to suit ABS™ Process Pumps are featured in the table below:



ABS™ Adaptor Plate - Dimensional Information (mm)

Pump Model Number	Stock Code	Dim A	Dim B	Dim C	Dim D	Dim E	Dim F	
Bearing Frame 2	3AI2DV01-01	43.0	62.2	105.0	114.0	38.3	3.0	Bare Shaft
Bearing Frame 2	3AI2DV01	48.0	71.0	105.0	114.0	38.3	3.0	Mechanical Seal Sleeve
Bearing Frame 2	3AI2DV01	50.0	71.0	105.0	114.0	38.3	3.0	Packing Sleeve
Bearing Frame 3	3AI3DV01-01	57.0	80.0	130.0	139.0	40.0	5.0	Bare Shaft
Bearing Frame 3	3AI3DV01-02	65.0	92.2	130.0	139.0	40.0	5.0	Mechanical Seal
Bearing Frame 3	3AI3DV01-03	70.0	95.3	130.0	139.0	40.0	5.0	Packing Sleeve
Bearing Frame 4	3AI4DV01	75.0	105.0	140.0	150.0	45.6	4.0	Mechanical & Packing Sleeve
Bearing Frame 5	3AI5DV01	100.0	133.0	170.0	180.0	48.0	4.0	Mechanical & Packing Sleeve

In the above table "V" in the stock code stands for the Viton® elastomer. This is also available in EPR, Kalrez® and Aflas®.

THIS DOCUMENT IS DESIGNED TO PROVIDE DIMENSIONAL INFORMATION AND AN INDICATION OF AVAILABILITY. FOR FURTHER INFORMATION AND SAFE OPERATING LIMITS CONTACT OUR TECHNICAL SPECIALISTS AT THE LOCATIONS BELOW.



USE DOUBLE MECHANICAL SEALS WITH HAZARDOUS PRODUCTS. ALWAYS TAKE SAFETY PRECAUTIONS:

- GUARD YOUR EQUIPMENT
- WEAR PROTECTIVE CLOTHING



AESSEAL plc
Mill Close
Templeborough
Rotherham
S60 1BZ
United Kingdom

Telephone:
Fax:
E-mail:
Internet:

WINNER OF THE
NATWEST
SUNDAY TIMES
COMPANY OF
TOMORROW
AWARD

+44 (0) 1709 369966
+44 (0) 1709 720788
seals@aes seal.com
http://www.aes seal.com

Distributed by:

USA Sales & Technical advice:
AESSEAL Inc.
10231 Cogdill Road
Suite 105
Knoxville, TN 37932
USA
Telephone: 865 531 0192
Fax: 865 531 0571

ALL SIZES ARE SUBJECT TO MANUFACTURING TOLERANCES. WE RESERVE THE RIGHT TO MODIFY SPECIFICATIONS AT ANY TIME.